

T 9 N

R 3 E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N. IX North, Range N. III East 2nd Mer. Surveyed by Jos. Hedges 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35 & 36	3 rd Rate. Silty. Oak. Poplar. Gum. Ironwood & Sassafras	35 & 36	Poor & Silty. W. Oak. Hickory & Sassafras	31 & 32	Silty & Poor. Oak. Hickory. Dogwood &c.
25 & 36	Same	27 & 34	Same	29 & 32	Same
25 & 26	Same	28 & 28	Same	30 & 31	Same
24 & 25	Same	22 & 24	Same	29 & 30	Same
23 & 24	Same	21 & 22	First & 2 nd Rate. Silty. Oak. Sugar. Beech. & Sassafras	20 & 29	2 nd Rate. Bottom. Low. Oak. Sugar. Beech. Oak & Sassafras
13 & 24	Same	15 & 22	Silty & Poor. Oak. Hickory. Beech. Dogwood & Ironwood	19 & 30	First & 2 nd Rate. part oak bottom & part Silty. Oak & Sassafras
13 & 14	Same	15 & 16	Same	19 & 30	Low & Silty. Oak. Hickory & Dogwood
12 & 13	Same	10 & 15	Same	17 & 20	Same
11 & 13	Same	9 & 10	Same	18 & 19	Same
1 & 12	Same	3 & 10	Same	17 & 18	Same
1 & 2	Same	3 & 4	Same	8 & 17	Same
34 & 35	Poor & Silty. W. Oak. Hickory & Sassafras	32 & 33	Same	4 & 18	Same
26 & 35	Same	28 & 33	Same	7 & 8	Same
26 & 27	Same	28 & 29	Same	5 & 8	Same
23 & 26	Same	21 & 28	2 nd Rate. Bottom. Low. Oak. Beech. & Sugar	6 & 7	Same
22 & 23	Same	20 & 21	Silty & Poor. Oak. Hickory & Dogwood	5 & 6	Same
14 & 23	Same	16 & 21	Same		
14 & 15	Same	16 & 17	Same		
11 & 14	Same	9 & 16	Same		
10 & 11	Same	8 & 9	Same		
2 & 11	Same	4 & 9	Same		
2 & 3	Same	4 & 5	Same		

Township 9 North, Range N. 3 East 2nd Mer.

Range Line - Var. 7. E

North Between Ranges 2 & 4 Town 9 North

On the East Side of Sec. 36

23.18 M. Oak 18 in. diam.

40.00 gr. Sec. corner M. Oak 14 1/2 E 7

do 7 1/2 S 63 W 19

66.50 A. Branch 10 lbs West

80.00 Set post corner of Sec. 25 & 36

Poplar 20 1/2 S 81 E 7

No other trees noted

Very broken land. Timber Oak. Map. Oak

North On the East Side of Sec. 25

7.50 A. Branch 15 lbs West

40.00 gr. Sec. corner Beech 10 1/2 S 42 E 20

do 8 1/2 S 41 E 16

63.70 B. B. Oak 18 in. diam.

80.00 Set post corner of Sec. 24 & 25

Oak 20 1/2 S 83 W 10

do - 1 1/2 E 20

Brushy broken land. Timber Oak &c.

North On the East Side of Sec. 24

4.90 A. Branch 20 lbs West

40.00 gr. Sec. corner Sugar 12 1/2 S 84 W 7

Poplar 36 East 28

80.00 Set post corner of Sec. 13 & 24

M. Oak 24 1/2 S 45 W 21

Michaux 16 1/2 S 71 E 12

Land & timber same as above

North On the East Side of Sec. 13

40.00 gr. Sec. corner M. Oak 18 1/2 S 71 W 27

Beech 12 1/2 S 33 E 32

80.00 Set post corner of Sec. 12 & 13

Beech 10 1/2 S 7 E 8

do 12 1/2 S 70 W 21

Land & timber as before

North On the East Side of Sec. 17

13.50 A. Branch 10 lbs West

40.00 gr. Sec. corner Beech 20 1/2 S 73 E 15

Dogwood 4 1/2 S 64

80.00 Set post corner of Sec. 1 & 12

Beech 8 1/2 S 67 E 7

M. Oak 20 1/2 S 55 E 15

Mountain land timber Oak &c.

North On the East Side of Sec. 1

32.70 A. Branch 15 lbs West

40.00 gr. Sec. corner Sugar 18 1/2 S 40 E 25

Elm 20 1/2 S 23 W 34

52.40 A. Sugar 15 in. diam.

55.00 A. Branch 15 lbs S. E

80.00 Set post corner of Sec. 28 & 29 E. Town 9 North

Sections 1, 6, 31, 36 Beech 6 1/2 S 31 W 44

Sugar 10 1/2 S 48 E 5

Land first half same last 1/2 low brook

Land. good soil June 5th 1819

Surveyed by John M. Donohue & J.

Townships line

West On Random Between Towns 8 & 9 N. 3 East

40.00 Temporary gr. Sec. post

50.50 A. Branch 10 lbs South

80.00 Set temporary post corner of Sec. 35 & 36

West Continued Random line (May 31st 1819)

10.45 A. Branch 6 lbs S. W

40.00 Temporary gr. Sec. post

80.00 Set temporary post for corner of Sec. 34 & 35

West Continued Random line

40.00 Temporary gr. Sec. post

50.25 A. Branch 8 1/2 S North

80.00 Set temporary post for corner of Sec. 33 & 34

in 1/2 S 43 E

West Continued Random line

40.00 Temporary gr. Sec. post

80.00 Set temporary post for corner of Sec. 32 & 33

West Continued Random line

40.00 Temporary gr. Sec. post

80.00 Set temporary post for corner of Sec. 31 & 32

West Continued Random line

40.00 Temporary gr. Sec. post

80.00 Set temporary post for corner of Townships

889 1/2 2 1/2 S 87 in Range 3. June 1st 1819

True line

East Between Towns 8 & 9 Range 3 East

On the South Boundary of Sec. 31

47.35 gr. Sec. corner M. Oak 15 1/2 S 60 W 17

Ches. Oak 12 1/2 S 55 E 15

87.25 Set post for corner of Sec. 31 & 32

Saplings 4 1/2 S 76 E 7

Michaux 6 1/2 S 71 W 11

Very broken brushy land. Oak & Michaux. Map. Saplings

East On the South Side of Sec. 32

40.00 gr. Sec. corner Ches. Oak 27 1/2 S 30 W 4

Dogwood 4 1/2 S 29 E 23

80.00 Set post corner for Sec. 32 & 33

M. Oak 15 1/2 S 84 E 28

Ch. Oak 30 1/2 S 74 W 5

Over knolls. Timber Oak. Map. Saplings. brush

East On the South Side of Sec. 33

40.00 gr. Sec. corner M. Oak 14 1/2 S 8 W 43

do 18 1/2 S 67 E 49

80.00 Set post corner of Sec. 33 & 34

M. Oak 15 1/2 S 53 E 6

do 12 1/2 S 61 W 32

Very broken land. Oak. Michaux. Map. Saplings

East On the South Side of Sec. 34

40.00 gr. Sec. corner M. Oak 18 1/2 S 76 E 14

do 15 1/2 S 81 W 44

80.00 Set post corner of Sec. 34 & 35

M. Oak 13 1/2 S 47 W 38

do 15 1/2 S 71 W 30

Over knolls. Timber Oak. Map. Saplings. brush

East On the South Side of Sec. 35

40.00 gr. Sec. corner Gum 8 1/2 S 13 E 14

Michaux 7 1/2 S 18

80.00 Set post corner of Sec. 35 & 36

M. Oak 20 1/2 S 57 E 12

do 15 1/2 S 36 E 24

Very broken brushy land. Oak. Map. Saplings. brush

East On the South Side of Sec. 36

40.00 gr. Sec. corner M. Oak 15 1/2 S 37 E 25

do 14 1/2 S 46 E 31

80.00 Town corner

Over broken land / June 14th 1819 -

Surveyed by John M. Donohue & J.

Subdivisions of Township 35 N. R. 3 East
 North Between Sec. 35 & 36 / S. pt. 16th 1819
 35.50 A. W. Oak 18 in. diam.
 40.00 gr. Sec. corner B. Oak 6 North 11
 Beech 14 S 12 E 30
 80.00 Set post corner to Sec. 25, 26, 35, 36
 Gum 10 S 9 E 6
 Cedar 14 S 20 E 33
 Sand, Mill, & Hickory, W. Oak, Beech, Gum, Ang.
 Ironwood, Dogwood, Sassafras, 3rd rate
 East Between Sec. 25 & 36 On Prandone
 40.00 Temporary gr. Sec. post
 81.90 Intersected lower boundary of Sec. 100th S. pt. 16th 1819
 Sand, Sugar, W. Oak, Beech, Hickory, Gum, 3rd rate
 West Corrected
 40.95 gr. Sec. corner W. Oak 18 S 43rd W 12th
 No other tree
 81.90 Section corner
 North Between Sec. 25 & 26
 31.10 A. Oak 24 in. diam.
 40.00 gr. Sec. corner Beech 10 S 59th W 5
 Hickory 5 S 34 E 10
 45.00 Crossed Beech 50 lbs S 40 W
 61.30 The Ash 24 in. diam.
 80.00 Set post corner of Sec. 23, 24, 25, 26
 Hickory 12 S 41 E 14
 Ironwood 6 S 62nd W 26
 Sand, Mill, & Hickory, W. Oak, Beech, Gum, Ang.
 East Between Sec. 24 & 25 On Prandone
 40.00 Temporary gr. Sec. post
 68.50 Crossed Beech 50 lbs S 40 W
 81.30 Intersected Sec. line of Sec. 2, 18 South of post
 Sand, rough & Hickory, W. Oak, Beech, Hickory, Gum
 Sugar, Gum 3rd rate, 1st pt. 16th 1819

West Corrected Between Sec. 24 & 25
 10.10 gr. Sec. corner W. Oak 14 S 52nd W 20
 do 20 S 51 E 37
 Section corner
 North Between Sec. 23 & 24
 37.80 A. W. Oak 14 in. diam.
 40.00 gr. Sec. corner Beech 39 S 53 E 14
 Sugar 6 S 57 W 1/2
 58.80 A. W. Oak 24 in. diam.
 80.00 Set post corner to Sec. 13, 14, 23, 24
 Beech 18 S 53 E 16
 do 13 S 56th W 30
 Hickory, Beech, W. Oak, Hickory, Beech
 East Between Sec. 13 & 24 On Prandone
 40.00 Temporary gr. Sec. post
 80.90 Intersected Sec. line 2 1/2th South of post
 Hickory, Hickory, W. Oak, Beech, Hickory, Gum
 Beech 5 Ang. Ironwood, Sassafras 3rd rate
 West Corrected
 40.45 gr. Sec. corner Beech 12 S 49 E 16 1/2
 do 6 S 52nd W 15
 80.90 Section corner
 North Between Sec. 13 & 14 / Dec. 24th 1819
 17.70 A. W. Oak 30 in. diam.
 40.00 gr. Sec. corner Hickory 10 S 65 W 14
 Ash 5 S 75 E 13
 52.75 A. Sugar 18 in. diam.
 67.75 A. Beech 20 lbs S 80 W
 80.00 Set post corner to Sec. 11, 12, 13, 14
 Beech 16 S 68 E 14
 W. Oak 15 S 8 W 22
 Sand, Sugar, Hickory, W. Oak, Beech, Hickory
 Ang. Ironwood & Dogwood

East Between Sec. 12 & 13 On Prandone
 35.50 A. Beech 20 lbs S 45 W
 40.00 Temporary gr. Sec. post
 80.10 Intersected East boundary of Sec. 12 S. pt. 16th 1819
 Sand, Mill, & Hickory, W. Oak, Beech, Hickory, Ang.
 Dogwood & Ironwood
 West Corrected
 40.05 gr. Sec. corner W. Oak 16 S 46 W 20
 Beech 5 S 50 E 14
 80.10 Section corner
 North Between Sec. 11 & 12
 14.00 A. Hickory 8 in. diam.
 31.50 A. Sugar 80 lbs West
 36.50 Same stream S 60 E
 40.00 gr. Sec. corner Sugar 20 S 46 E 29
 do 26 S 57 W 6
 42.00 Last mentioned stream S 40 W
 54.50 A. Hickory 24 in. diam.
 80.00 Set post corner to Sec. 1, 2, 11, 12
 Hickory 40 S 33 E 37
 Beech 10 S 37 W 4
 Sand, Mill, & Hickory, W. Oak, Beech, Hickory, Ang.
 Sugar & Beech Ang. Dogwood & Ironwood
 East Between Sec. 1 & 12 On Prandone
 2.00 A. Sugar 80 lbs S 40 E
 40.00 Temporary gr. Sec. post
 80.10 Intersected East boundary of Sec. 12 S. pt. 16th 1819
 Sand, Mill, & Hickory, W. Oak, Beech, Hickory, Ang.
 Dogwood & Ironwood
 West Corrected
 40.00 gr. Sec. corner B. Oak 30 S 45 W 22
 L. Oak 10 S 44 E 4
 80.00 Section corner
 North Between Sec. 1 & 2
 11.10 The Ash 11 in. diam.

40.00 gr. Sec. corner Maple 6 S 35 W 66
 do 6 S 28 E 34
 61.90 A. Oak 18 in. diam.
 79.75 Intersected N. Boundary 2 1/2th East of post corner
 B. Oak 5 S 82 E 30
 W. Oak 13 West 30
 Sand, Sugar & Hickory, W. Oak, Beech, Hickory, Ang. Dogwood
 North Between Sec. 34 & 35
 15.00 A. Beech 8 lbs S 45 W
 18.50 A. W. Oak 16 in. diam.
 40.00 gr. Sec. corner Hickory 7 S 19 W 39
 W. Oak 18 S 70 E 50
 75.30 A. Beech 10 in. diam.
 80.10 Set post corner to Sec. 26, 27, 34, 35
 W. Oak 14 S 56 E 85
 do 12 S 76 E 29
 Sand & Timber Same
 East Between Sec. 26 & 35 On Prandone
 40.00 Temporary gr. Sec. post
 49.00 A. Beech 8 lbs S 15 W
 79.08 Intersected East boundary of Sec. 12 S. pt. 16th 1819
 Sand & Timber Same
 West Corrected
 39.54 gr. Sec. corner W. Oak 16 S 33 E 37
 do 24 S 19 W 38
 79.08 Section corner
 North Between Sec. 26 & 27
 13.00 A. Beech 6 lbs S 30 W
 21.70 A. W. Oak 14 in. diam.
 33.50 A. Beech 50 lbs West
 40.00 gr. Sec. corner Sugar 12 S 51 W 24
 do 12 S 78 E 20
 49.20 A. W. Oak 15 in. diam.
 76.00 A. Beech 6 lbs West

80.00 Set post corner to Sec^s 22, 23, 26, 27
 Beech 5 S 55 E 13
 W. Oak 14 S 72 W 13
 Sand hilly & poor. W. Oak, Hickory, Sugar, Dogwood
 East Between Sec^s 23 & 26 On Prandine
 4.00 A. Brook 6 lbs S 80 W
 40.00 Temporary gr. Sec. post
 79.00 Intersected East boundary 133 lbs S. of Sec. corner
 Sand & timber as above
 West corrected
 37.50 gr. Sec. corner Sugar 12 S 14 E 31
 Beech 12 S 76 W 77
 79.00 Section corner
 North Between Sec^s 22 & 23
 11.50 A. W. Oak 15 in. diam.
 40.00 gr. Sec. corner Beech 12 S 53 E 15
 do 12 S 47 W 39
 51.00 A. Oak. Oak 30 in. diam.
 64.50 A. Stream 100 lbs S 60 W
 80.00 Set post corner to Sec^s 14, 15, 22, 23
 Hickory 7 S 49 E 14
 W. Oak 7 S 81 W 16
 Sand hilly & poor. W. Oak, Hickory, Beech, Dogwood
 East Between Sec^s 14 & 23 On Prandine
 11.00 A. Stream 100 lbs South
 40.00 Temporary gr. Sec. post
 79.08 Intersected East boundary 37 lbs S. of Sec. corner
 Sand & timber as above
 West corrected
 39.54 gr. Sec. corner Hickory 5 S 80 W 7
 Beech 5 S 82 W 16
 79.08 Section corner
 North Between Sec^s 14 & 15 Dec^r 25th 1819
 27.30 A. W. Oak 8 in. diam.
 40.00 gr. Sec. corner W. Oak 6 S 25 W 37
 do 12 S 44 E 37

40.00 H. Hickory 18 in. diam.
 68.50 A. Brook 10 lbs S 10 E
 80.00 Set post corner of Sec^s 10, 11, 14, 15
 O. Oak 6 S 46 W 10
 W. Oak 11 S 37 E 32
 Very hilly & poor. W. Oak, Hickory, Sugar, Dogwood
 East Between Sec^s 11 & 14 On Prandine
 9.50 A. Brook 8 lbs S 20 E
 40.00 Temporary gr. Sec. post
 47.50 A. Brook 6 lbs S 5 E
 50.00 A. Stream 80 lbs S 10 E
 80.00 Intersected East boundary 142 lbs S. of Sec. corner
 Sand & timber similar as above
 West corrected
 40.00 gr. Sec. corner W. Oak 16 S 51 W 19
 Beech 7 S 77 E 15
 80.00 Section corner
 North Between Sec^s 10 & 11
 16.70 A. B. Oak 7 in. diam.
 40.00 gr. Sec. corner E. Oak 15 S 41 E 44
 do 8 S 37 W 24
 50.00 A. Brook 10 lbs S 10 W
 63.13 A. Chesnut, Oak 10 in. diam.
 80.00 Set post corner to Sec^s 2, 3, 10, 11
 Poplar 26 S 33 E 38
 Beech 12 S 83 W 27
 Sand & timber same
 East Between Sec^s 2 & 11 On Prandine
 32.50 A. Brook 4 lbs S 80 E
 40.00 Temporary gr. Sec. post
 57.50 A. Brook 6 lbs S 10 W
 80.00 Intersected East boundary at Sec. corner
 Sand very hilly & poor. W. Oak, Hickory, Sugar, Dogwood
 Hickory, Sugar, Dogwood & Sassafras

West corrected Between Sec^s 2 & 11
 40.30 gr. Sec. corner June 6 S 61 E 28
 do 7 S 38 W 15
 80.60 Section corner
 North Between Sec^s 2 & 3
 11.50 A. W. Oak 15 in. diam.
 17.50 A. Brook 10 lbs S 60 W
 20.00 gr. Sec. corner E. Oak 20 S 22 W 30
 Sugar 14 S 20 E 33
 51.00 A. Brook 8 lbs S 10 W
 64.20 A. Poplar 24 in. diam.
 75.00 Intersected North boundary 2.95 lbs E of corner
 Beech 11 S 15 W 14
 W. Oak 18 S 14 E 40
 Sand hilly & poor. W. Oak, Hickory, Beech, Sugar, Dogwood
 North Between Sec^s 33 & 34 Dec^r 29th 1819
 22.00 A. W. Oak 14 in. diam.
 35.00 A. Brook 25 lbs S 20 E
 40.00 gr. Sec. corner E. Oak 5 S 11 E 9
 W. Oak 7 S 11 W 35
 40.00 Last mentioned Brook S 30 W
 47.00 A. Sycamore 26 in. diam.
 48.20 Last mentioned Brook S 15 E
 50.00 Set post corner to Sec^s 27, 28, 33, 34
 W. Oak 10 S 7 E 42
 Beech 13 S 13 W 39
 Sand & timber same
 East Between Sec^s 27 & 34 On Prandine
 45.00 Temporary gr. Sec. post
 77.50 A. Brook 6 lbs North
 80.00 Intersected East boundary 200 lbs S. of Sec. corner
 Sand very hilly & poor. W. Oak, Hickory, Sugar, Dogwood
 Hickory, Sugar, Dogwood & Sassafras

West corrected Between Sec^s 27 & 34
 40.00 gr. Sec. corner O. Oak 20 S 58 E 5
 do 5 S 14 W 14
 80.00 Section corner
 North Between Sec^s 27 & 28
 14.70 A. B. Oak 18 in. diam.
 40.00 gr. Sec. corner W. Oak 18 S 43 E 39
 Beech 12 S 74 W 19
 50.50 A. Stream 50 lbs North
 58.65 A. W. Oak 24 in. diam.
 80.00 Set post corner to Sec^s 21, 22, 27, 28
 W. Oak 24 S 12 E 9
 do 30 S 13 W 47
 Sand hilly & poor. W. Oak, Hickory, Beech, Sugar, Dogwood
 East Between Sec^s 22 & 27 On Prandine
 40.00 Temporary gr. Sec. post
 47.50 A. Brook 8 lbs S 10 W
 79.00 A. Brook 10 lbs S 5 W
 80.00 Intersected E. boundary 60 lbs S. of Sec. corner
 Sand & timber same
 West corrected
 40.00 gr. Sec. corner Beech 12 S 16 W 35
 Sugar 12 S 1 W 50
 80.00 Section corner
 North Between Sec^s 21 & 22
 7.00 A. Stream 100 lbs S 40 W
 11.00 Same Stream S 30 E
 21.00 Same Stream S 35 W
 24.00 A. Oak 26 in. diam.
 34.00 A. Brook 10 lbs S 45 W
 40.00 gr. Sec. corner W. Oak 10 S 27 E 38
 do 13 S 24 W 14
 55.00 A. W. Oak 14 in. diam.

56.00 Set post corner to Sec^s 15, 16, 21, 22

Ches. Oak 12 1/2 x 22 W 42

B. Oak 26 1/2 x 51 E 42

First 1/2 mile N.W. 1/4 Sec. 15, 16, 21, 22

W. Oak, Sugar, Beach, Ang^l, Spice, Ash

East Between Sec^s 15 & 22 On Brandon

8.80 A. Oak 6 1/2 x 15 E

24.00 A. Oak 8 1/2 x 15 E

40.00 Temporary gr. Sec. post

43.00 A. Oak 8 1/2 x 20 E

76.50 A. Oak 12 1/2 x 10 E

80.12 Intersected E. boundary 50 1/2 x 10 S. Sec. corner

Land hills, 1/2 Sec. W. Oak, Hickory, Beach, Dogwood

West corrected Sec^s 30th 1879

40.06 gr. Sec. corner Hickory 12 1/2 x 49 1/2 E 23

June 15 1873 W 10

80.12 Section corner

North Between Sec^s 15 & 16

22.50 A. W. Oak 14 1/2 x 10 diam^t

40.00 gr. Sec. corner ^{Beak 10 in. dia for corner tree} Hickory 6 1/2 x 2 W 28

No other trees noted

53.50 A. Oak 8 1/2 x 18 W

62.65 A. Ches. Oak 18 in. diam^t

80.00 Set post corner to Sec^s 9, 10, 15, 16

Hickory 15 1/2 x 50 E 10

Ironwood 6 1/2 x 46 33

Land same, W. Oak, Ches. Oak, Hickory, Gum, Ang^l, Dogwood

East Between Sec^s 10 & 15 On Brandon

36.50 A. Oak 8 1/2 x 18 E

40.00 Temporary gr. Sec. post

80.00 Intersected E. boundary 35 1/2 x 10 S. Sec. corner

Land & timber same

West corrected

40.00 gr. Sec. corner W. Oak 15 corner tree

B. Oak 7 1/2 x 38 W 17

80.00 Section corner

North Between Sec^s 9 & 10

17.00 A. Oak 12 1/2 x 15 W

30.70 A. Maple 7 in. diam^t

40.00 gr. Sec. corner Dogwood 4 1/2 x 6 E 28

Hickory 8 1/2 x 8 W 28

47.75 A. W. Oak 12 in. diam^t

53.00 A. Oak 25 1/2 x 10 W

80.00 Set post corner of Sec^s 3, 4, 9, 10

W. Oak 22 1/2 x 37 E 27

Hickory 6 1/2 x 25 W 28

Land hills, 1/2 Sec. W. Oak, Hickory, Dogwood

East Between Sec^s 3 & 10 On Brandon

6.50 A. Oak 6 1/2 x 15 E

10.00 A. Oak 6 1/2 x 10 W

21.00 A. Oak 8 1/2 x 15 W

40.00 Temporary gr. Sec. post

79.80 Intersected East boundary at Sec. corner

Land & timber same

West corrected

39.90 gr. Sec. corner W. Oak 12 1/2 x 31 W 26

do 6 1/2 x 49 E 20

79.80 Section corner

North Between Sec^s 3 & 4

14.50 A. W. Oak 13 in. diam^t

40.00 gr. Sec. corner Ches. Oak 14 South 24

W. Oak 8 1/2 x 18 E 19

50.90 A. W. Oak 15 in. diam^t

72.50 A. Spruce 25 1/2 x 18 W

74.75 Intersected N. boundary 3 1/2 x 10 E. of post corner

Hickory 14 1/2 x 37 E 38

Sugar 13 1/2 x 58 W 28

Land & timber same

North Between Sec^s 32 & 33 (Dec^r 31st 1879)

8.85 A. Ches. Oak 24 in. diam^t

40.00 gr. Sec. corner W. Oak 13 1/2 x 18 E 21

do 16 1/2 x 8 W 24

55.50 A. Oak 10 1/2 x 14 E

63.10 A. W. Oak 12 in. diam^t

80.00 Set post corner to Sec^s 28, 29, 32, 33

Ches. Oak 12 1/2 x 11

do 16 1/2 x 52 1/2

Land hills, 1/2 Sec. W. Oak, Hickory, Dogwood

Hickory, Ang^l, Sap, Spruce

East Between Sec^s 28 & 33 On Brandon

40.00 Temporary gr. Sec. post

72.50 A. Oak 25 1/2 x 15 E

78.20 Intersected E. boundary 62 1/2 x 10 S. Sec. corner

Land & timber same

West corrected

39.10 gr. Sec. corner W. Oak 16 1/2 x 20 E 42

Beech 8 1/2 x 17 W 31

78.20 Section corner

North Between Sec^s 28 & 29

33.30 A. W. Oak 11 in. diam^t

40.00 gr. Sec. corner W. Oak 19 1/2 x 26 E 78

Hickory 9 1/2 x 62 W 47

53.50 A. Sugar 9 in. diam^t

80.00 Set post corner to Sec^s 20, 21, 28, 29

W. Oak 14 1/2 x 33 W 140

W. Oak 10 1/2 x 29 E 40

W. Oak 10 1/2 x 29 E 40

W. Oak 10 1/2 x 29 E 40

East Between Sec^s 21 & 28 On Brandon

6.50 A. Oak 100 1/2 x 15 W

13.50 Spruce Spruce North

40.00 Temporary gr. Sec. post

72.50 East W. Oak, Spruce, Spruce W. Oak

78.28 Intersected E. boundary 62 1/2 x 10 S. Sec. corner

Land hills, 1/2 Sec. W. Oak, Beach, Sugar

West corrected

39.14 gr. Sec. corner Beech 13 1/2 x 16 W 16

W. Oak 30 1/2 x 32 E 14

78.28 Section corner

North Between Sec^s 20 & 21

38.10 A. Hickory 12 in. diam^t

40.00 gr. Sec. corner W. Oak 18 1/2 x 11

do 13 1/2 x 17 W 62

61.50 A. W. Oak 9 in. diam^t

80.00 Set post corner of Sec^s 16, 17, 20, 21

Beech 8 1/2 x 64 W 47

Ches 9 1/2 x 43 E 37

Land hills, 1/2 Sec. W. Oak, Hickory, Ang^l, Dogwood

East Between Sec^s 16 & 21 On Brandon

40.00 Temporary gr. Sec. post

65.00 A. Oak 10 1/2 x 15 E

79.68 Intersected E. boundary 12 1/2 x 10 S. Sec. corner

Land & timber same

West corrected (Augst 1st 1870)

39.84 gr. Sec. corner W. Oak 9 1/2 x 18 W 26

B. Oak 15 1/2 x 17 1/2

79.68 Section corner

North Between Sec^s 16 & 17

6.50 A. Oak 100 1/2 x 15 W

10.00 A. Beech 8 in. diam^t

40.00 gr. Sec. corner Beech 13 1/2 x 16 E 46

June 26 1873 W 38

46.00 A. Oak 8 1/2 x 30 E

59.65 A. W. Oak 13 in. diam^t

80.00 Set post corner to Sec^s 8, 9, 16, 17

W. Oak 14 North 46

do 12 1/2 x 15 W 11

Land & timber same

East Between Sec^s 9 & 16 On Brandon

34.00 A. Oak 10 1/2 x 15 E

40.00 Temporary gr. Sec. post

50.00 A. Oak 15 1/2 x 30 W

79.70 Intersected E. boundary 48 1/2 x 10 S. Sec. corner

Land & timber same

West Connected Between Sec: 7 & 16
 39.55 gr. Sec. corner W. Oak 26 corner tree
 do 18 S 50 E 23

79.70 Section corner
 North Between Sec: 8 & 9
 16.30 A. W. Oak 30 in. diam.
 40.00 gr. Sec. corner W. Oak 18 S 15 W 53
 Poplar 28 S 44 W 26

51.00 A. Brook 6 lbs S 45 E
 56.00 A. W. Oak 11 in. diam.
 70.60 A. Brook 6 lbs S 5 E
 80.00 Set post corner of Sec: 4, 5, 8, 9
 W. Oak 24 S 46 W 21
 do 18 S 73 E 60

Land Billy & poor. W. Oak. Oak. Hickory. Ang. Dog. Horse. etc.

East Between Sec: 4 & 9 On Brandon
 29.00 A. Brook 6 lbs S 30 E
 40.00 Temporary gr. Sec. post
 80.20 Intersected E. Boundary 59 lbs S. of Sec. corner
 Land & timber same

West Connected
 40.10 gr. Sec. corner W. Oak 18 S 48 E 32
 Gum 5 S 73 W 7

80.20 Section corner
 North Between Sec: 4 & 5
 17.35 A. W. Oak 22 in. diam.
 40.00 gr. Sec. corner Ches. Oak 16 S 3 E 39
 do 14 S 84 E 5

64.50 A. W. Oak 13 in. diam.
 70.50 Intersected North Boundary 40 lbs E. of post corner
 Beech 4 S 45 E 4
 Ches. Oak 12 S 57 W 57

Land & timber same

North Between Sec: 31 & 32 July 3rd 1820
 16.35 A. W. Oak 30 in. diam.
 40.00 gr. Sec. corner Ches. Oak 14 S 47 W 13
 do 13 S 23 E 21

68.90 A. Brook 14 in. diam.
 71.50 A. Brook 6 lbs S 80 W
 80.00 Set post corner of Sec: 29, 30, 31, 32
 Ches. Oak 8 S 39 E 14
 do 12 S 25 W 31

Land Billy & poor. W. Oak. Oak. Hickory. Ang. Dog. Horse. etc.

East Between Sec: 29 & 32 On Brandon
 40.00 Temporary gr. Sec. post
 81.00 Intersected E. Boundary 54 lbs S. of Sec. corner
 Land Billy & poor. W. Oak. Oak. Hickory. Gum

West Connected
 40.50 gr. Sec. corner — 7 S 33 W 56
 Ches. Oak 10 S 36 E 18

81.00 Section corner
 West Between Sec: 30 & 31
 19.45 A. W. Oak 12 in. diam.
 29.50 A. Brook 8 lbs S 60 W
 40.00 gr. Sec. corner Sugar 5 corner tree
 Beech 12 S 45 W 29

58.75 A. Ches. Oak 12 in. diam.
 87.50 Intersected W. boundary —
 W. Oak 13 S 43 W 22
 do 12 S 68 E 30

Land & timber same

North Between Sec: 29 & 30
 10.95 A. Ches. Oak 12 in. diam.
 40.00 gr. Sec. corner Gum 16 S 14 E 32
 Hickory 15 S 43 W 30

50.45 A. Ches. Oak 11 in. diam.

80.00 Set post corner to Sec: 19, 20, 29, 30
 Poplar 48 S 42 W 8
 Sugar 10 S 5 E 13

Land Billy & poor. W. Oak. Oak. Hickory. Ang. Dog. Horse. etc.

Ang. Dog. Horse. etc.

East Between Sec: 20 & 29 On Brandon
 19.00 A. Stream 100 lbs S 30 E
 40.00 Temporary gr. Sec. post
 47.50 A. Brook 8 lbs S 30 W
 80.50 Intersected E. boundary 12 lbs S. of Sec. corner
 Land level 2nd gate bottom. Sugar. Beech. W. Oak. Hickory. West. Connected

West Connected (Jan 7th 1820)
 40.25 gr. Sec. corner Beech 8 S 84 E 31
 Sugar 14 S 66 W 25

80.50 Section corner
 West Between Sec: 19 & 30
 5.50 A. Stream 125 lbs West
 13.00 Soft Stream S 60 W
 22.55 Ash 16 in. diam.
 30.00 Last mentioned Stream S 60 W
 40.00 gr. Sec. corner W. Oak 28 S 60 E 46
 W. Oak 36 S 50 W 10

49.60 A. Poplar 48 in. diam.
 86.00 Intersected West boundary
 W. Oak 12 S 46 E 60
 Maple 5 S 16 W 6

First 1/2 mile from rich bottom. Last 1/2 poor. Billy
 W. Oak. Sugar. Beech. Ang. Dog. Horse. etc.

North Between Sec: 19 & 20
 4.00 A. Stream 125 lbs South
 25.00 A. Beech 14 in. diam.
 40.00 gr. Sec. corner W. Oak 24 S 52 W 48
 do 36 S 47 E 19

56.97 A. W. Oak 12 in. diam.

80.00 Set post corner to Sec: 17, 18, 19, 20
 W. Oak 12 S 57 W 25
 Maple 11 S 49 E 20

Land Billy & poor. W. Oak. Oak. Hickory. Ang. Dog. Horse. etc.

East Between Sec: 17 & 20 On Brandon
 40.00 Temporary gr. Sec. post
 44.50 A. Brook 10 lbs S 10 E
 76.50 A. Brook 25 lbs S 10 E
 80.00 Intersected E. boundary 96 lbs S. of Sec. corner
 Land & timber same in the Ches. Oak

West Connected
 40.00 gr. Sec. corner Ash 11 S 86 E 52
 W. Oak 12 S 29 W 20

80.00 Section corner
 West Between Sec: 18 & 19
 22.18 A. Hickory 10 in. diam.
 40.00 gr. Sec. corner Hickory 6 S 16 W 14
 Sugar 6 S 9 E 25

22.00 A. Stream 30 lbs S 15 W
 56.68 A. W. Oak 13 in. diam.
 84.50 Intersected West boundary
 W. Oak 15 S 56 E 14
 do 18 South 19

Land Billy & poor. W. Oak. Oak. Hickory. Ang. Dog. Horse. etc.

North Between Sec: 17 & 18
 16.95 A. W. Oak 15 in. diam.
 40.00 gr. Sec. corner W. Oak 16 S 35 W 16
 do 11 S 37 E 56

68.14 A. Ches. Oak 9 in. diam.
 80.00 Set post corner to Sec: 7, 8, 17, 18
 W. Oak 7 S 57 W 35
 Ches. Oak 8 S 53 E 34

Land Billy & poor. W. Oak. Oak. Hickory. Ang. Dog. Horse. etc.

East Between Sec. 8 & 17 on Dandem
 10.00 Temporary gr. Sec. post
 14.25 A. Brook 6 lks S 20 E
 80.40 Intersected East Boundary 82 lks North of Sec. Corner
 Sum. 1/2 lks. W. 3/4 lks. E. Oak. Hickory. 1/2 lks. Dogwood
 West corrected (Aug. 3rd 1820)
 40.20 gr. Sec. corner W. Oak 15 S 4 N 36
 do 12 S 29 E 38
 80.40 Section corner
 West Between Sec. 4 & 18
 25.00 A. Brook 25 lks S 15 W
 28.50 A. Beech 12 in. diam.
 37.00 A. Brook 6 lks S 20 E
 40.00 gr. Sec. corner W. Oak 10 S 35 N 25
 do 14 S 23 E 8
 47.50 A. B. Oak 24 in. diam.
 51.00 A. Brook 7 lks S 15 W
 81.00 Intersected West boundary
 W. Oak 11 S 89 E 26
 do 7 S 51 N 30
 Sum. 1/2 lks. W. 3/4 lks. E. Oak. Hickory. 1/2 lks. Dogwood
 North Between Sec. 4 & 18
 20.30 A. W. Oak 16 in. diam.
 40.00 gr. Sec. corner W. Oak 13 S 40 E 14
 do 14 S 52 N 24
 46.50 A. W. Oak 12 in. diam.
 72.00 A. Brook 6 lks S 45 W
 80.00 Set post corner to Sec. 5, 6, 7, 8
 W. Oak 18 S 78 E 31
 Sugar 10 S 78 N 29
 Sum. 1/2 lks. same
 East Between Sec. 5 & 18 on Dandem
 4.10 A. Brook 6 lks S 40 W
 40.00 Temporary gr. Sec. post
 79.40 A. Brook 6 lks S 5 E

80.10 Intersected East Boundary at Sec. corner
 Sum. 1/2 lks. W. 3/4 lks. E. Oak. Hickory. 1/2 lks. Dogwood
 West corrected
 40.08 gr. Sec. corner W. Oak 14 S 19 E 24
 do 12 S 10 N 77
 80.10 Sec. corner
 West Between Sec. 6 & 7
 18.80 A. W. Oak 18 in. diam.
 33.50 A. Brook 8 lks S 20 E
 40.00 gr. Sec. corner W. Oak 13 S 35 N 38
 do 24 S 56 E 37
 53.00 A. Oak 24 in. diam.
 78.56 Intersected West boundary
 W. Oak 10 S 77 E 26
 do 6 S 42 N 19
 Sum. Same very little difference
 North Between Sec. 5 & 18
 22.50 A. W. Oak 12 in. diam.
 30.00 gr. Sec. corner W. Oak 12 S 63 E 60
 Poplar 15 S 25 E 7
 62.10 A. Oak 12 in. diam.
 66.20 Intersected West boundary 200 lks East
 of post corner to Sec. 31 & 32 in the adjacent
 Township - W. Oak 17 S 78 N 56
 Beech 14 S 54 E 50
 Sum. 1/2 lks. W. 3/4 lks. E. Oak. Hickory. 1/2 lks. Dogwood
 Dogwood W. Oak
 Surveyed by James Hargis D. S.

Township N. 10 North, Range N. 3 East 2nd Mer.

Range Line - Var. 6. 45'

North Between Ranges 3 & 4 E. Township N. 10 N.
 On the East Side of Sec. 35
 4.50 A. Brook 50 lks S. W
 8.68 A. Hickory 24 in. diam.
 10.00 gr. Sec. corner Beech 12 S 5 N 13
 do 6 S 26 E 6
 11.38 A. W. Oak 48 in. diam.
 80.00 Set post corner of Sec. 25 & 36
 Beech 7 S 35 E 5
 Dogwood 7 S 24 E 10
 Broken land. Timber Oak. Hickory &c.
 North On the East Side of Sec. 25
 20.00 A. Brook 20 lks S. W
 40.00 gr. Sec. corner Hickory 12 S 3 E 14
 do 6 S 64 N 12
 54.80 A. Brook 15 lks S. E
 67.50 Same Brook S. W
 80.00 Set post corner to Sec. 24 & 35
 W. Oak 18 S 40 E 35
 Hickory 10 S 58 N 15
 Broken land. Timber. Oak. Hickory &c.
 North On the East Side of Sec. 24
 28.80 A. B. Gum 20 in. diam.
 40.00 gr. Sec. corner Hickory 10 S 41 N 4
 Sugar 6 S 15 N 15
 68.50 A. Beech 14 in. diam.
 80.00 Set post corner of Sec. 13 & 24
 Poplar 14 S 40 E 4
 do 10 S 57 E 5
 Broken land. Oak & Hickory. 1/2 lks. Dogwood
 North On the East Side of Sec. 13
 24.22 A. Gumish. Oak 36 in. diam.
 40.00 gr. Sec. corner Poplar 40 S 35 E 9
 Dogwood 6 S 60 N 12
 40.52 A. Beech 14 in. diam.
 80.00 Set post corner of Sec. 12 & 13
 Beech 8 S 23 E 2
 do 10 S 3 N 18
 Broken land. Timber Oak &c. 1/2 lks. Dogwood
 North On the East Side of Sec. 12
 20.00 gr. Sec. corner Sugar 12 S 57 N 18
 do 8 S 33 E 24
 57.09 A. Beech 14 in. diam.
 80.00 Set post corner of Sec. 1 & 12
 Maple 14 S 7 E 19
 do 10 S 7 N 18
 Broken land. Timber. Oak. Beech &c.
 North On the East Side of Sec. 1
 29.50 A. Beech 14 in. diam.
 40.00 gr. Sec. corner Gum 30 S 44 E 7
 do 14 S 55 N 11
 80.54 Set post corner to Ranges 10 & 11 N. R. 3 & 4 East
 Beech 18 S 61 N 7
 Gum 20 S 38 E 11
 Broken land. Oak. Beech &c. 1/2 lks. Dogwood
 Surveyed by John M. Donald D. S. June 21, 1819
 Township Line
 West Between Townships 9 & 10 North Range 3 East
 On the South Side of Sec. 35
 1.25 A. Brook 80 lks South
 8.00 A. Poplar 36 in. diam.
 40.00 gr. Sec. corner W. Oak 12 S 30 E 15
 do 13 S 44 N 31
 68.41 A. W. Oak 24 in. diam.
 80.00 Set post corner of Sec. 35 & 36
 W. Oak 10 S 52 N 13
 Hickory 12 S 16 E 12
 Over Mountains. Timber Oak &c.